



Africa, Groundwater and Sustainable Development Goals

Dr. Callist Tindimugaya

Ministry of Water and Environment, Uganda/IAH Regional Vice President, sub-Saharan Africa


Email: callist_tindimugaya@yahoo.co.uk

Ineson Lecture 2017, 25th October 2017, London, UK

Special thanks to the British Chapter of the International Association of Hydrogeologists (IAH) and Hydrogeology Group of the Geological Society for the invitation and financial support to attend this meeting

Groundwater resources in Africa

- 75 % of the African population dependant on groundwater for basic water supply
- Groundwater used for other activities (irrigation, livestock watering, urban and industrial development etc)
- Groundwater demands are set to increase in future with:
 - Population increase
 - Climate change
 - Need to combat growing food insecurity





What is groundwater to an African?

Source of domestic water supply









Source of domestic water supply









Source of domestic water supply









Source of water for small scale irrigation









Source of water for large scale irrigation





Source of water for livestock





Source of support to development and livelihoods



Market and investment opportunities/innovations/Jobs for rural youth and entrepreneurs



Supporting rapid development and industrialization



Income generation, household food security

Contributor to human health





- Concentrations of fluoride above 1.5 mg/l in drinking water can cause dental and skeletal fluorosis. These clinical conditions are commonly encountered in the groundwaters of the Rift Valley.
- With dental fluorosis, the teeth have brown discolouration. Pitting and chipping of the teeth cause functional problems. Dental fluorosis is a lifelong handicap
- Skeletal <u>fluorosis</u> is caused by high concentrations of fluoride in drinking water consumed over many years.

RiPPLE, Factsheet

Top figure- Dental fluorosis in Youngester in and Bottom photo showing people affected by skeletal fluorosis Photos from Gizaw- MAWARI Project



IDD prevalence map, Kebede (2009)

• According to ministry of health and UNICEF report in 1993, 42 million people (78%) of the total population of Ethiopia are exposed to iodine deficiency, 35 million (62%) are iodine deficient, 14 million (26%) have goiter and at least one in 1000 people is

- Lack of adequate iodine in foods and drinking water could lead to lodine Deficiency Disorder (IDD).
- This causes goiter, cretinism, poor pregnancy, still birth, mental retardation and infant mortality.
- lodine deficiency is the world's most common cause of mental retardation and brain damage and goiter incidence



Meeting the Sustainable Development Goals in Africa: role of groundwater




.. GW will be key in contributing to achievement of most of the SDG Goals especially SDG6

Dealing with diversity and extremes

Diverse Geology


Diverse groundwater



MacDonald et al. (2012)

0.66 million km³ of storage (not all available for abstraction)

Hydrogeological diversity and complexity




Transboundary groundwater aquifers




Over 80
 transboundary
 aquifers mapped
 in Africa

 Great lack of scientific knowledge on characteristics of TBA

Groundwater Potential and use in Africa






Groundwater potential

Growth in groundwater use


Groundwater!!


GW in Greening Africa



Groundwater Management Challenges


Knowledge of the resource base and its characteristics






- Limited understanding of groundwater resources
- Project design & implementation often below standard & regulation is weak
- Lack of appreciation that groundwater resources is very important for WASH
- Insufficient understanding of drilling and associated risks by non-technical decision-makers and project/programme managers
- Drilling logs not always systematically collected, collated and available
- Lack of quantitative national hydrogeological maps in most of Africa
- Inadequate information about the causes of borehole and pump failure and thus lack of feedback to project design and implementation
- Disconnect between groundwater research and groundwater practice

Pollution of groundwater esp. in large cities





Groundwater pollution in Lusaka City, Zambia (adopted from Nkhuwa)

Groundwater aquifers that supply many African mega cities are often heavily polluted (e.g. Dakar, Abidjan, Lagos, Accra, Lomé, Lusaka, Nairobi, Addis Ababa)

Management of transboundary aquifers



- Over 80 transboundary aquifers exist in Africa
- Need to establish transboundary aquifer management organisations or integrate GW in RB management
- Promote transboundary aquifer monitoring and assessment to improve scientific knowledge on TBA
- Operationalise UNGA on the management of transboundary aquifers

Communicating groundwater information and impacts



The New york Times

Hope Found Beneath War-Torn Darfur

By MIKE NIZZA JULY 19, 2007 9:45 AM

Darfur lake is a 'mirage'. - ResearchGate

 $www.researchgate.net/publication/6185951_\textbf{Darfur}_lake_is_a_'\textbf{mirage'}$

Article: Geology and geophysics of the West Nubian Paleolake and the Northern **Darfur Megalake** (WNPL-NDML): Implication for groundwater resources in ...






First test shows Kenya's huge water find too salty to drink - TRFN

Uncertainty in hydrogeology impacts policy articulation

Integrating science and policy



Need for integration

Economics and financing

- Limited information on the contribution of groundwater to economic and social development
- Limited financing for groundwater development and management


Technology – access and lifting





Regulation and governance

- Groundwater development in SE Asia was a hidden revolution! This is coming to an unprepared Africa
- Allocation, regulation and governance of groundwaterchallenging to implement/tragedy of the commons



Partial spread of private and public boreholes in Lusaka

Data Source: Lusaka Water & Sewerage company and Department of Water Affairs

Prospects for improving groundwater management in Africa: Africa not short of Initiatives

Many ongoing groundwater related initiatives in Africa

- A number of national and regional groundwater related programs: development, monitoring, assessment, regulation, information management etc
- AGWC Africa Groundwater Commission
- AGWNET- Africa Groundwater Network
- IAH Burdon Network- IAH Burdon Groundwater Network for International Development
- UNESCO-IHP- UNESCO International Hydrological Program
- UPGro Unlocking the Potential of Groundwater for the Poor
- GroFutures- Groundwater Futures in Sub-Saharan Africa
- GRIPP- Groundwater Solutions Initiative for Policy and Practice
- AGM- African Groundwater Movement
- SDG Monitoring- Sustainable Development Goals indicator monitoring


Many national groundwater management and development programs in Africa

Groundwater management strategies



Groundwater resources assessment


Groundwater resources monitoring





Groundwater resources regulation

Assessing and quantifying groundwater resources





Mapping of groundwater resources


Produces tools in form of maps and reports to guide planning and implementation of groundwater development activities at both the national and district levels.

6 different types of maps are produced:


- (i) water supply coverage map
- (ii) hydrogeological characteristics map
- (iii) hydrochemical characteristics map
- (iv) water quality map
- (v) groundwater development technology options map
- (vi) groundwater potential map







Hydrogeological characteristics map: made up of 4 inset maps-First water strike, Main water strike, Static water level, Overburden thickness



Regional groundwater management and development programs in Africa

Africa Groundwater Commission

- Groundwater high on political agenda in Africa through AMCOW
- AMCOW Declaration on Groundwater Initiative (Brazzaville, May 2007)
- African Groundwater Commission (AGWC) established under AMCOW (Nairobi, Nov 2008)
- AGWC aims to support AMCOW to promote sustainable groundwater governance in Africa as a whole and at national and local levels
- Supported by various partners: UNESCO, BGR, AGWN, IAH, IGRAC, RWSN
- AGWC not been very active, needs reactivation
- AMCOW plans to work with partners to fully operationalize the AGWC and bring value to groundwater sector in Africa





































Africa Groundwater Network (GW CB network)



- 1. IWRM & groundwater management framework
- 2. Aquifer system characterization for management
- 3. Integrated groundwater management in practice
- 4. Groundwater legislation and regulation
- Groundwater allocation and licensing
- 6. Economic and financial instruments in groundwater management
- 7. Stakeholder participation in groundwater management
- 8. Groundwater quality protection and management
- 9. Groundwater monitoring
- 10. Groundwater and climate change
- 11. Information management and communication.

Integration of Groundwater in basin organisations in Africa



into Transboundary Basin Organizations in Africa



TRAINING MANUAL

- 1.GW-Management in Transboundary Basin Organizations in Africa (Needs assessment)
- 2.IWRM and GW
- 3. Aquifer Systems Characterisation
- 4. Management of Transboundary GW
- 5.GW Monitoring and Information Management
- 6.GW regulation, licensing, allocation and institutions
- 7. Stakeholder participation and communication
- 8.GW Hazards
- 9.GW and Food Security
- 10.GW and Environment
- 11.GW and Climate Change

IAH Burdon Groundwater Network for International Development

- Making existing and new groundwater knowledge more widely and easily accessible.
- Connecting people: increasing networking and experience sharing
- Advocacy, of the role of groundwater and hydrogeologists in reducing poverty.
- Supporting groundwater training
- Free Book Scheme
- Africa Groundwater Atlas
- Africa Groundwater Literature Archive
- Support in establishment of new IAH chapters (Zambia, Tanzania and Malawi targeted)






UNESCO- IHP: Groundwater focal areas under IHP8

- Focal Area 2.1 Enhancing sustainable groundwater resources management
- Focal Area 2.2 Addressing strategies for management of aquifers recharge
- Focal Area 2.3 Adapting to the impacts of climate change on aquifer systems
- Focal Area 2.4
 — Promoting groundwater quality protection
- Focal Area 2.5 Promoting management of transboundary aquifers

All the focal areas are priorities to Africa due to high dependence on groundwater







UPGro: A social and natural science approach to enabling sustainable use of groundwater for the benefit of the poor

A seven-year international research programme (2013-2020)

Focuses on improving the evidence base around groundwater availability and management in sub-Saharan Africa (SSA) to enable use of groundwater in a sustainable way in order to benefit the poor.



Consortium Projects (2015-19)



Building understanding of climate variability into planning of groundwater supplies from low storage aquifers in Africa



Hidden Crisis

Unravelling current failures for future success in rural groundwater supply





Groundwater Risk Management for Growth and Development

Grofutures

Groundwater Futures in Sub-Saharan Africa



Experimenting with practical transition groundwater management strategies for the urban poor in Sub Saharan Africa

Working in Benin, Burkina Faso, Ethiopia, Ghana, Kenya, Malawi, Niger, Nigeria, South Africa, Tanzania, Uganda

Groundwater Solutions Initiative for Policy and Practice (GRIPP) Partners































































Objective: Sustainable groundwater management for livelihoods, food security, climate resilience and economic growth

GRIPP Program Areas/Themes

- 1. Groundwater and Food Security
- 2. Groundwater for Sustainable Development
- 3. Groundwater, Water Security and Climate Change Adaptation
- 4. Groundwater and Energy
- 5. Transboundary Aquifers
- 6. Groundwater Governance

Irrigation project near Ziway, Ethiopia
Picture credit: Petterik Wiggers

Pumping groundwater to irrigate fields in Nepal
Picture credit: Fraser Sugden









The African Groundwater Movement - Who is involved?

- International champions: Skat, UNICEF, WaterAid, USAID, WSP, RWSN and International Association of Hydrogeologists (IAH)
- Continental Champions: Africa Groundwater Network (AGWNet)
- In-country: Drillers, consultants, national government agencies, universities, training agencies, drillers associations and UNICEF country offices
- New: UK funders (DFID, NERC, ESRC) with UPGro, British, Dutch and Africa-based universities
- Numerous individual and organisational champions but not all are connected!

Movement aims to keep on drawing stakeholders closer together, learning from each other & sharing experiences of capacity strengthening.

Groundwater relevant institutional frameworks in Africa

- AU- African Union
- AMCOW- African Ministers' Council on Water
- RECs Regional Economic Communities (8No.)
- RBO- River Basin Organisations
- MS- Member States (Ministries responsible for water)
- Sub-national: Basins/States, Counties/Districts
- Local level: Sub-basin/community

Role of British Hydrogeologists in improving the understanding of groundwater resources in Africa

Historical and current perspectives

- Most of the work done to improve understanding of groundwater resources and stimulate groundwater development especially in Anglophone countries originates from the British hydrogeologists
- Work in Francophone countries largely spearheaded by French hydrogeologists
- Recent developments point to more collaborative work among the British, French, German and African hydrogeologists as well as hydrogeologists from other countries
- This new way of doing things has great promise for groundwater but coordination still a challenge

Key contributions to GW knowledge in Africa

- John Chilton, Stephen Foster, Mike Jones, Ed Wright, Ian Acworth -Weathered aquifer profile.
- Mike Edmunds- Groundwater recharge mechanisms and rates using several methods
- Robin Hazell- use of geophysics to find groundwater in basement rocks in Nigeria
- Alan MacDonald et al. brought to the fore the drought susceptibility concept and the map of this produced for Ethiopia as an example
- Alan MacDonald et al. more recent maps of groundwater storage and yields in Africa.
- Richard Taylor- conceptual cross-sectional models of surfaces of deep weathering and stripping


Weathered basement aquifers -

saturated thickness > 15 m will usually provide handpump yield


- Work was done in the 1980s on the basement in Malawi leading to an understanding of the value of the weathered regolith as an aquifer in itself. Weathered aquifer profile developed.
- Conclusion reached was that the regolith could meet domestic needs from shallow handpump boreholes at the design yields and for the quite high rural population densities








Groundwater recharge mechanisms and rates using several methods







After Mike Edmunds

Groundwater availability during drought, storage and yields in Africa









Conceptual cross-sectional models of surfaces of deep weathering and stripping







SUMMING IT UP

- ☐ Groundwater is poised to play a key role in Africa's transformation.
- ☐ The impending groundwater management challenges are however enormous
- ☐ The ongoing groundwater management related programs and existing institutional frameworks offer great hope for addressing the challenges
- ☐ A pending issue is on effective coordination of the groundwater agenda on the continent